
Indicators Program

Covid-19 in Iowa: Update on Hospitalizations, Age, and Deaths



During the week ending November 13th,¹ Iowa recorded several Covid-19² case milestones. The state surpassed 180,000 Covid-19 cases; weekly cases reached a new high of 31,862; and hospitalizations, intensive care (ICU) patients, and those on ventilators reached new weekly high levels as well (Table 1). In addition, the weekly new cases for older persons age 61 and over reached new highs as did the weekly number of deaths (Figures 1 - 5, Table 1). This report reviews these trends of hospitalizations, cases of older Iowans, and deaths. The source of the information reviewed here is the Iowa Department of Public Health (IDPH).³

Persons with Covid-19 can experience a variety of symptoms.² Although some may have few, if any, symptoms of the virus, for others the virus can cause serious health problems and can lead to death. Although Covid-19 has not been fatal for most of lowa's patients,⁴ an indicator of the severity of the disease for some is that they have been hospitalized for treatment. IDPH has reported the number of Covid-19 patients that are hospitalized as well as those that are in an intensive care unit (ICU) or on a ventilator breathing machine, although there are different starting dates for which reporting of each type of patient began.

In the early weeks of May, the average number of Covid-19 patients who were hospitalized weekly in lowa exceeded 400. That was the highest level of hospitalizations until recent weeks. Starting with late September, the average number of patients in the hospital increased with the highest average of 1.150 through the week of November 13th, nearly three times the number reported in May. Patients in ICUs and on ventilators have increased during these recent weeks as well reaching the highest weekly average levels (212 in ICUs, 95 on ventilators) since IDPH began reporting these patients. (Figures 1, 3; Table 1). In the last two weeks reported here, some hospitals and Regional Medical Coordination areas (RMCC) are much closer to their capacity for these patients than they were during the spring surge.3

Although hospitalized patients at any given time can be from cases reported in any previous week, it can be useful to compare the average weekly number of hospitalized patients with the new cases of that same week. During the peak weeks of hospitalizations in May, the weekly average number of hospitalizations, as a percent of new cases, ranged from 13% to 16% (Figure 4, Table 1). In recent weeks, however, hospitalization trends are much more moderate when compared with those for May. Although the number of weekly cases and the number hospitalized are at record high levels, the percentage of cases that are hospitalized is staying at a much lower level ranging around 3.6% to 6.6% of new cases (Figure 4, Table 1). If hospitalizations were at the rates experienced in May, Iowa should now be experiencing an estimated weekly average of 3,000 - 4,500 hospitalized patients. Fortunately, lowa has not yet reported these extremely high





Table 1. Cumulative and Weekly Covid-19 Cases and Deaths, Cases by Age, and Average Weekly Number of Hospitalized, Intensive Care (ICU), and Ventilator Patients, Iowa, 2020.1-2

| | Covid-19 Cumulative | | Weekly Additional Covid-19 Cases | | | Weekly Additional Covid-19 Cases | | | Average Weekly Number of Hospitalized Covid-19 Patients ² | | | Weekly Hospitalized ³ as a Percent of Weekly Cases | | Percentages | |
|---------------------|------------------------|--------|-------------------------------------|------------------------|-----------------------------|-------------------------------------|-------------------------------|------------------|---|-----|------------|--|------------------------------------|--------------------------------|----------------------------|
| Week | Cases | Deaths | Total Cases | Cases Age 61 -80 | Cases Age 81 or older | Cases Age 61 | Percent Age 61 or older | Weekly Deaths | Hospitalized | ICU | Ventilator | - | Weekly Cases Age 61 or Older | % of Hospitalized in ICU | % of ICU on Ventilators |
| Mar 07 - Mar 13 | 15 | 0 | 15 | 12 | 0 | 12 | 80.0 | 0 | * | * | * | * | * | * | * |
| Mar 14 - Mar 20 | 68 | 0 | 50 | 12 | 0 | 12 | 22.6 | 0 | * | * | * | * | * | * | * |
| Mar 21 - Mar 27 | 298 | 3 | 230 | 74 | 10 | 84 | 36.5 | 3 | * | * | * | * | * | * | * |
| Mar 28 - April 03 | 786 | 14 | 488 | 129 | 38 | 167 | 34.2 | 11 | * | * | * | * | * | * | * |
| April 04 - April 10 | 1510 | 34 | 724 | 122 | 33 | 155 | 21.4 | 20 | * | * | * | * | * | * | * |
| April 11 - April 17 | 2513 | 74 | 1003 | 183 | 75 | 258 | 25.7 | 40 | * | * | * | * | * | * | * |
| April 18 - April 24 | 5092 | 112 | 2579 | 289 | 105 | 394 | 15.3 | 38 | 250 | * | * | 9.7 | 63.5 | * | * |
| April 25 - May 01 | 8641 | 175 | 3549 | 428 | 146 | 574 | 16.2 | 63 | 321 | * | * | 9.0 | 55.9 | * | * |
| May 02 - May 08 | 11671 | 252 | 3030 | 385 | 177 | 562 | 18.5 | 77 | 402 | * | * | 13.3 | 71.5 | * | * |
| May 09 - May 15 | 14328 | 346 | 2657 | 351 | 127 | 478 | 18.0 | 94 | 394 | * | * | 14.8 | 82.5 | * | * |
| May 16 - May 22 | 16795 | 444 | 2467 | 366 | 129 | 495 | 20.1 | 98 | 375 | 122 | * | 15.2 | 75.7 | 32.5 | * |
| May 23 - May 29 | 19142 | 528 | 2347 | 255 | 88 | 343 | 14.6 | 84 | 377 | 115 | * | 16.1 | 109.9 | 30.5 | * |
| May 30 - June 05 | 21438 | 598 | 2296 | 232 | 66 | 298 | 13.0 | 70 | 318 | 111 | 70 | 13.9 | 106.9 | 34.9 | 63.1 |
| June 06 - June 12 | 23555 | 650 | 2117 | 194 | 50 | 244 | 11.5 | 52 | 243 | 80 | 49 | 11.5 | 99.6 | 32.9 | 61.3 |
| June 13 - June 19 | 25424 | 681 | 1869 | 185 | 58 | 243 | 13.0 | 31 | 193 | 66 | 44 | 10.3 | 79.2 | 34.2 | 66.7 |
| June 20 - June 26 | 27933 | 704 | 2509 | 260 | 38 | 298 | 11.9 | 23 | 150 | 45 | 25 | 6.0 | 50.4 | 30.0 | 55.6 |
| June 27 - July 03 | 30923 | 721 | 2990 | 262 | 93 | 355 | 11.9 | 17 | 135 | 37 | 19 | 4.5 | 38.0 | 27.4 | 51.4 |
| July 04 - July 10 | 34528 | 748 | 3605 | 409 | 116 | 525 | 14.6 | 27 | 162 | 47 | 21 | 4.5 | 30.9 | 29.0 | 44.7 |
| July 11 - July 17 | 37904 | 787 | 3376 | 406 | 131 | 537 | 15.9 | 39 | 192 | 63 | 30 | 5.7 | 35.8 | 32.8 | 47.6 |
| July 18 - July 24 | 41628 | 826 | 3724 | 467 | 149 | 616 | 16.5 | 39 | 223 | 73 | 30 | 6.0 | 36.3 | 32.7 | 41.1 |
| July 25 - July 31 | 44936 | 872 | 3308 | 407 | 94 | 501 | 15.1 | 46 | 239 | 76 | 31 | 7.2 | 47.7 | 31.8 | 40.8 |
| Aug 01 - Aug 07 | 48112 | 925 | 3176 | 470 | 112 | 582 | 18.3 | 53 | 236 | 71 | 30 | 7.4 | 40.5 | 30.1 | 42.3 |
| Aug 08 - Aug 14 | 51640 | 973 | 3528 | 567 | 133 | 700 | 19.8 | 48 | 247 | 71 | 26 | 7.0 | 35.3 | 28.7 | 36.6 |
| Aug 15 - Aug 21 | 55496 | 1030 | 3856 | 594 | 196 | 790 | 20.5 | 57 | 286 | 84 | 33 | 7.4 | 36.2 | 29.4 | 39.3 |
| Aug 22 - Aug 28** | 63112 | 1108 | 7616 | 806 | 180 | 986 | 10.7 | 78 | 295 | 90 | 40 | 4.8 | 35.8 | 30.5 | 44.4 |
| Aug 29 - Sept 04 | 69006 | 1160 | 5894 | 647 | 137 | 784 | 13.3 | 52 | 312 | 88 | 41 | 5.3 | 39.8 | 28.2 | 46.6 |
| Sept 05 - Sept 11 | 73547 | 1216 | 4541 | 602 | 136 | 738 | 16.3 | 56 | 306 | 89 | 36 | 6.7 | 41.5 | 29.1 | 40.4 |
| Sept 12 - Sept 18 | 79128 | 1264 | 5581 | 775 | 145 | 920 | 16.5 | 48 | 279 | 81 | 33 | 5.0 | 30.3 | 29.0 | 40.7 |
| Sept 19 - Sept 25 | 85425 | 1311 | 6297 | 1062 | 265 | 1327 | 21.1 | 47 | 299 | 78 | 35 | 4.7 | 22.5 | 26.1 | 44.9 |
| Sept 26 - Oct 02 | 91861 | 1377 | 6436 | 1160 | 353 | 1513 | 23.5 | 66 | 381 | 97 | 35 | 5.9 | 25.2 | 25.5 | 36.1 |
| Oct 03 - Oct 09 | 98356 | 1454 | 6495 | 1234 | 405 | 1639 | 25.2 | 77 | 428 | 104 | 41 | 6.6 | 26.1 | 24.3 | 39.4 |
| Oct 10 - Oct 16 | 106147 | 1526 | 7791 | 1444 | 435 | 1879 | 24.1 | 72 | 462 | 106 | 45 | 5.9 | 24.6 | 22.9 | 42.5 |
| Oct 17 - Oct 23 | 114463 | 1629 | 8316 | 1486 | 452 | 1938 | | 103 | 514 | 125 | 48 | 6.2 | 26.5 | 24.3 | 38.4 |
| Oct 24 - Oct 30 | 127357 | 1715 | 12894 | 2218 | 640 | 2858 | 22.2 | 86 | 586 | 136 | 50 | 4.5 | 20.5 | 23.2 | 36.8 |
| Oct 31 - Nov 06 | 148391 | 1829 | 21034 | 3160 | 877 | 4037 | 19.2 | 114 | 793 | 177 | 62 | 3.8 | 19.6 | 22.3 | 35.0 |
| Nov 07 - Nov 13 | 180253 | 1972 | 31862 | 4995 | 1329 | 6324 | 19.9 | 143 | 1150 | 212 | 95 | 3.6 | 18.2 | 18.4 | 44.8 |

¹Source: lowa Department of Public Health; ²Hospitalized patients include non-lowans; ³Hospitalized patients at any given time may be from cases reported in any previous week; *not available; ** On August 27th, the lowa Department of Public Health added the cumulative positive Covid-19 cases identified by antigen testing (1,377) to the state cumulative Covid-19 total cases identified by PCR (polymerase chain reaction) testing. Before August 27th, the reported state positive totals were based only on PCR testing. The data reported here for the week of August 22-August 28 reflect the totals with the added antigen cases even though those cases were from many previous weeks and months, not from just that week.



levels but it may be premature to speculate how hospitalization rates may be going forward as there can be a lag period between a diagnosis of Covid-19 and the need for hospitalization.

Hospitalization is more likely to occur among patients who are older or have pre-existing conditions.^{2, 3} As larger numbers and proportions of older persons contract Covid-19, the percentage of hospitalizations should be higher than if most new cases are in younger people. We could expect then, that the age of patients would be a factor in the number needing hospitalization.

New cases in the two oldest age groups (61-80 and 81 or older) have gone up dramatically since October as have cases for the other age groups. Even though the number of cases in the older age groups has increased, hospitalizations, as a percentage of the weekly cases of these older persons is more moderate than in the weeks of April and May. In addition, the average weekly number of hospitalizations tends to track most closely to the number of new cases of patients age 81 or older rather than with those age 61-80 (Figure 2, Table 1).6 By a number of indicators, then, even though the number of cases in recent weeks is at record levels, there have been lower rates of patients who have been hospitalized.

Some Covid-19 patients become quite ill and need additional care in an ICU when they are hospitalized. Some may have major breathing difficulties and need to be on a ventilator machine as well. During the earliest weeks that ICU and ventilator patients were reported, approximately one-third of those hospitalized were in ICU units. In recent weeks, the proportion of hospitalized who are in ICU units is lower now than in those early weeks, hovering around 24% or less. In addition, the proportion of ICU patients on ventilators is somewhat lower now than when the ventilator reporting began in June (Table 1). It remains to be seen if these moderated rates for ICU and ventilator patients continue.

Weekly deaths in May were highest (98) during the week ending May 22nd. Three of the last four weeks reported here have surpassed that number with 143 deaths reported for the week ending November 13th (Figure 5, Table 1). Because patients in ICUs and especially those on ventilators are seriously ill, it is useful to compare hospitalization, ICU, and ventilator trends with numbers of deaths. Figure 3 shows the weekly average number of patients hospitalized, those in an ICU, those on ventilators, along with the number of weekly new deaths reported. Again, keeping in mind that the number of deaths in any given week results from cases and hospitalizations from any previous week, deaths in Iowa thus far have

tended to much more closely follow the numbers of patients for ICU and ventilators rather than the overall trend of hospitalizations. It is clear that patients needing the extra care of an ICU and a ventilator are very seriously ill.

A comparison of cumulative deaths with cumulative cases suggests an overall mortality rate of 1.09% during the weeks the virus has been active in Iowa (Table 1).4 Some of the most significant factors in mortality from Covid-19 are the age and any preexisting medical conditions of the patients.2 IDPH reports that 91% of Covid-19 deaths in Iowa have been in patients age 60 or older even though persons of this age account for just 20% of Covid-19 cases. In addition, around 64% of decedents of those ages are reported to have had preexisting medical conditions.3

lowa is now at the highest levels of weekly new cases of Covid-19, both total and those of older age. It may be a hopeful sign that rates of hospitalization have been lower in the recent weeks reported here than in May. Perhaps the medical community is better able to treat Covid-19 patients now than in May, keeping more patients out of hospitals, out of ICUs, and off ventilators. Yet, cases have risen quickly in the last two weeks at an alarming pace. Health care facilities are nearing limitations in beds, staff, and personal protection equipment. In the coming weeks it may be premature to think that the recent trends of declining hospitalization rates would continue.

These lowa trends are unfortunate and dismaying. It remains to be seen if lowans can take the necessary steps for increased safety and vigilance that are needed across the state in order to stem the community spread of Covid-19.

Covid-19 in Iowa: Update on Hospitalizations, Age, and Deaths

This report, others in the series, along with other information related to Covid-19 in Iowa and nationwide is available at: https://indicators.extension.iastate.edu/Indicators/COVID19/

Notes

¹Although cases are reported on a daily basis, there are day-by-day variations in reporting that include weekends and holidays that make it useful to aggregate cases and reporting on a weekly basis to look at trends. The weeks reported here start with cases and tests reported for a Saturday and end with the reporting for the following Friday.

²Coronavirus disease 2019 (COVID-19) is defined as illness caused by a novel coronavirus now called severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2; formerly called 2019-nCoV) https://www.medscape.com/answers/2500114-197401/what-is-covid-19. For symptoms see: https://www.cdc.gov/coronavirus/2019-ncov/symptoms-testing/symptoms.html For additional risks for older persons see: https://www.cdc.gov/coronavirus/2019-ncov/need-extra-precautions/older-adults.html

³The source for the Covid-19 data reviewed here is the Iowa Department of Public Health (IDPH). Through the months that Covid-19 cases have been reported in Iowa, the Iowa Department of Public Health has utilized several methods of reporting the cases and testing in Iowa. These include press reports, web sites, data tables and files, mapping, and graphing. The data in this report have been gathered from a number of these methods. Several web sites directly from or affiliated with the Iowa Department of Public Health have been used. These include: https://www.idph.iowa.gov/; https://coronavirus.iowa.gov/pages/access; https://coronavirus.iowa.gov/pages/access; https://open-iowa.opendata.arcgis.com/datasets/iacovid19-demographics; and https://open-iowa.opendata.arcgis.com/datasets/iacovid19-cases

⁴As of November 13th, Iowa had recorded 180,253 Covid-19 cases and 1,972 deaths. The overall mortality rate ((1,972/180,253) * 100) would be 1.09%.

⁵On August 27, 2020, IDPH revised the reported statewide Covid-19 cases by adding an estimated cumulative 1,377 previous cases that had not been reported as positive cases. These cases were from many previous weeks and months, not from that current week. These cases came from an additional method of diagnosis using rapid antigen technology instead of the usual PCR (polymerase chain reaction) technology. The data reported here and in Table 1 for the week of August 22-August 28 reflect the totals *with* the added antigen cases even though those cases were from many previous weeks and months, not from just that week.

See https://idph.iowa.gov/News/ArtMID/646/ArticleID/158374/IDPH-updates-COVID-19-antigen-test-results-following-increased-testing-volume-and-new-CDC-guidance.

⁶At any given time, the number of persons hospitalized results from cases reported from any previous days and week. In addition, hospitalizations can last for longer periods of time, from several days to several weeks or more. In May, weekly average hospitalizations as a percentage of new cases of persons 61 or older were quite high, exceeding 100% in some weeks due to the carryover of hospitalized patients from previous weeks, not just from the most immediate week or time period.

Sandra Charvat Burke Iowa State University Ames, IA 515-294-9307 scburke@iastate.edu November 16, 2020

This institution is an equal opportunity provider. For the full non-discrimination statement or accommodation inquiries, go to www.extension.iastate.edu/diversity/ext

Iowa State University Extension and Outreach Indicators Portal: www.indicators.extension.iastate.edu

IOWA STATE UNIVERSITY Extension and Outreach

Community and Economic Development